

8 Port 1U Rackmount USB PS/2 KVM Switch with OSD

StarTech ID: SV831DUSB



The SV831DUSB 8 Port 1U Rack Mount USB PS/2 KVM Switch with OSD offers a dependable computer management tool that allows you to control up to 8 USB or PS/2 connected computers from a single keyboard, mouse and monitor.

The KVM switch offers maximum control, allowing you to switch computers using hotkey commands or front panel push-buttons, and offers the added convenience of an On Screen Display to quickly access configuration options.

A suitable addition to server room operations, the 8 port switch can be rack-mounted into 1U of cabinet space, and can be cascaded with multiple KVM switches to deliver control of up to 56 computers from this single switch.

This high quality USB PS/2 KVM Switch is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Applications

- Add single console administration to your Co-location/ISP facility saving you time and money
- Create a scalable, streamlined access solution in your Datacenter or Server Farm
- Perfect for manufacturing line computer control, simplifying access to multiple systems
- Great for PC test/burn-in computer control saving the desk space required for multiple monitors, keyboards and mice



Features

- Connect USB and PS/2 based computer systems
- OS independent No software or drivers required
- Auto-scan function cycles through computers sequentially
- · Cascade configuration expands system capability
- Front panel push-buttons and Hot-key functions allow for easy switching
- On Screen Display (OSD) supports naming connected computers
- USB & PS2 console interfaces for keyboard and mouse
- OSD security option allows selected PCs to be password protected from unauthorized use
- Rugged, all-metal 1U chassis for use in harsh environments and space-saving cabinets



Technical Specifications

Warranty 3 Years

Audio No
Cables Included No
Daisy-Chain Yes
KVM Ports 8
Multi-Monitor No

PC Interface USB and PS/2

PC Video Type VGA
Rack-Mountable Yes
DVI Support No
IP Control No

Maximum Analog Resolutions 1920 x 1440 @60hz

Maximum Cascaded Computers 64
Maximum Number of Users 1

OS Compatibility OS independent; No software or drivers required

Color Black Enclosure Type Steel

Product Height 1.8 in [45 mm]
Product Length 17.2 in [438 mm]
Product Weight 102.4 oz [2900 g]
Product Width 7.1 in [180 mm]

Center Tip Polarity Positive Input Current 0.2A

Input Voltage 110 ~ 240 AC

Output Current 0.6A
Output Voltage 9 DC
Plug Type M

Power Source AC Adapter Included

Operating Temperature 5°C to 40°C (41°F to 104°F)

Storage Temperature -20°C to 60°C (-4°F to 140°F)

Shipping (Package) Weight 7.6 lb [3.5 kg]

Included in Package 1 - StarView 8 Port KVM Switch

Included in Package 2 - Mounting Brackets



Hard-to-find made easy®

Spec Sheet

Included in Package 1 - PS/2 keyboard and mouse Y cable

Included in Package 1 - Power Adapter Included in Package 1 - User Manual

Certifications, Reports and Compatibility

