

12U Adjustable 4 Post Server Equipment Open Frame Rack Cabinet

StarTech ID: 4POSTRACK12



The 4POSTRACK12 12U Adjustable 4 Post Server Equipment Open Frame Rack Cabinet provides a durable, open air housing for rackmount servers and networking equipment.

The equipment rack/cabinet features heavy gauge mounting rails to ensure a stable installation platform and adjustable posts for flexible installation. The 12U open frame rack is compliant with EIA-RS-310C standards, offering a universal design that's compatible with equipment from popular manufacturers. Plus, the equipment rack is flat-packed, reducing shipping costs and simplifying handling and assembly.

For added versatility, StarTech.com offers an optional [4pc Caster Kit](#) (4POSTCASTER) that can be installed on the bottom of the 12U server rack, making it easier to re-position the cabinet/rack as needed for future uses.

Backed by a StarTech.com lifetime warranty and free lifetime technical support.

Applications

- Durable storage for rackmount servers, KVM switches, and networking equipment
- Suitable for rackmount equipment where security at the rack level is not required
- Perfect solution for Technology shops and repair centers with limited space and mountable equipment
- Great for satellite offices, and retail locations where a small amount of server equipment is setup
- Useful for point of sale applications, specifically mounting equipment under the check-out counter
- Mounting equipment under a desk/workspace
- Audio/Video editing room, radio or television studio broadcast rackmount equipment

Features

- 12U Open Frame Rack
- 600 lbs (270 kg) weight capacity
- Pre-drilled base
- Unobstructed ventilation
- Heavy gauge mounting rails
- Adjustable mounting rails ensure broad equipment compatibility
- Optional casters available (4POSTCASTER)

Technical Specifications

Warranty	Lifetime
Casters	Optional
Fan(s)	No
Frame Type	Open Frame
Front Door Type	Open
Industry Standards	EIA RS310-C
Rack Type	4-Post
U Height	12U
Wallmountable	No
Weight Capacity	596.7 lb [270 kg]
Color	Black
External Depth	39.4 in [1000 mm]
External Height	25.5 in [646.6 mm]
External Width	22.5 in [571 mm]
Internal Height	21.1 in [536.6 mm]
Internal Width	17.8 in [451 mm]
Maximum Mounting Depth	35.2 in [895.4 mm]
Minimum Mounting Depth	18.5 in [469.9 mm]
Product Weight	61.9 lb [28 kg]
Flat Pack	Yes
Shipping (Package) Weight	69.8 lb [31.6 kg]
Included in Package	1 - 12 U Open Rack
Included in Package	1 - Assembly Kit (Screw, wrench, caps)
Included in Package	1 - Package of Cab screws and Cage nuts(24 each)
Included in Package	1 - Assembly Instructions

Certifications, Reports and Compatibility

