

4 Port PCI 1394a FireWire Adapter Card with Digital Video Editing Kit

StarTech ID: PCI1394_4



This 4 Port PCI IEEE 1394 FireWire 400 Adapter Card turns a motherboard PCI slot into four IEEE 1394a FireWire 6-pin female ports (1 internal, 3 external) - a cost-effective solution that lets you connect any FireWire 400 device that uses a 6-pin connector to your desktop computer.

The card can be installed in either Mac or PC computers, providing a practical solution for connecting iPods, MP3 players, portable drives, digital camcorders and more. The adapter card supports hot-swappable connectivity, allowing you to plug, unplug, and swap your FireWire peripherals with ease, saving time and hassle.

The 4 port FireWire PCI adapter card includes a copy of ULEAD's VideoStudio SE Basic video editing software, making it easy to capture and edit video from your digital video camcorder.

Applications

- Add a high-speed FireWire port to a desktop without any FireWire ports
- Connect a digital camera to a desktop with a PCI slot to download photos and video
- Connect a external FireWire hard drive or optical drive to a PCI-enabled system

Features

- 3 external, 1 shared internal FireWire400 port, with supported data transfer rates up to 400 Mbps
- Compliant with IEEE 1394a - 2000 as well as 1394-1995 standards
- Includes Video Editing kit: Ulead Video Studio SE and FireWire cable
- Plug-and-Play and hot-swap compatible

Technical Specifications

| | |
|-------------------------------|---|
| Warranty | Lifetime |
| Product Height | 3.1 in [8 cm] |
| Product Length | 4.7 in [12 cm] |
| Product Weight | 2.6 oz [75 g] |
| Product Width | 0.7 in [18 mm] |
| Bus Type | PCI (5 Volt) |
| Card Type | Standard Profile |
| Chipset ID | VIA - VT6306 |
| Industry Standards | IEEE 1394-1995 |
| Industry Standards | IEEE 1394a |
| Industry Standards | OHCI |
| Industry Standards | PCI 2.1 |
| Interface | FireWire 400 (1394a) |
| Ports | 4 |
| Maximum Data Transfer Rate | 400 Mbps |
| Connector Type(s) | 1 - PCI (5V; 32-bit) Male |
| External Ports | 3 - Firewire 400 (6 pin; IEEE 1394a) Female |
| Internal Ports | 1 - Firewire 400 (6 pin; IEEE 1394a) Female |
| Microsoft WHQL Certified | Yes |
| OS Compatibility | Windows® 10 (32/64), 8 / 8.1 (32/64), 7 (32/64), Vista (32/64), XP (32/64), 2000 Windows Server® 2012, 2008 R2, 2003 Mac OS® 8.6 and later (tested up to 10.4) Linux |
| Note | The internal port and the top external port cannot be used at the same time. Only one or the other is active at a time. |
| System and Cable Requirements | Unused PCI slot |
| Shipping (Package) Weight | 0.6 lb [0.3 kg] |
| Included in Package | 1 - PCI Firewire Card |
| Included in Package | 1 - Firewire cable 4pin-6pin |
| Included in Package | 1 - Driver CD |
| Included in Package | 1 - Instruction Manual |

Certifications, Reports and Compatibility

