


Key Features


Ultra-slim Panel with Frameless Design | SuperClear IPS Panel
Technology | Versatile Connectivity | Full HD 1080p
Resolution | Optimized View Settings



Product Description

Style and substance go hand-in-hand with the ViewSonic® VX2476-smhd 24" (23.8" viewable area) Full HD monitor. SuperClear® IPS panel technology, wide viewing angles, and best-in-class screen performance deliver outstanding visual clarity great for vibrant entertainment and gaming. A premium ID includes an ultra-slim profile, unique desktop stand, and a sleek edge-to-edge frameless screen, that when combined with vivid 1920x1080 resolution and dual speakers, deliver an immersive viewing experience for home entertainment and multimedia applications. Versatile HDMI, DisplayPort, and VGA inputs keep you connected to your favorite devices, while the modern, flush-mount frameless bezel design makes a standout statement in any home.






24"
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION

Contact Sales

- call: 888.881.8781
- email: salesinfo@viewsonic.com
- visit: viewsonic.com

Display:

| | |
|-------------------------|--------------------------------|
| Type: | IPS |
| Colors: | 16.7M |
| Static Contrast Ratio: | 1000:1 |
| Viewing Angles: | 178° horizontal, 178° vertical |
| Resolution: | 1920 x 1080 |
| Viewable Area (in.): | 23.8 |
| Dynamic Contrast Ratio: | 80M:1 |
| Backlight Life (Hours): | 30,000 |
| Response Time (GTG): | 7ms |
| Light Source: | WLED |
| Brightness: | 250 cd/m2 |
| Panel Surface: | Anti-glare, Hard coating (3H) |
| Aspect Ratio: | 16:9 |
| Display Size (in.): | 24 |

Compatibility:

| | |
|------------------------|-----------|
| PC Resolution (max): | 1920x1080 |
| Mac® Resolution (max): | 1920x1080 |

Connector:

| |
|---|
| 3.5mm Audio In(1), 3.5mm Audio Out(1), VGA(1), HDMI 1.4(1), Display Port(1) |
|---|

Audio:

| | |
|--------------------|----|
| Internal Speakers: | 3W |
|--------------------|----|

Power:

| | |
|------------------------|----------------------------------|
| Eco Mode (Conserve): | 13W |
| Eco Mode (optimized): | 15W |
| Consumption (typical): | 18W |
| Consumption (max): | 24W |
| Voltage: | AC 100-240V (universal), 50-60Hz |
| Stand-by: | 0.3W |

Additional Hardware:

| | |
|-----------------------|---|
| Kensington Lock Slot: | 1 |
|-----------------------|---|

Controls:

| | |
|--------------------|--|
| Physical Controls: | 1, 2, 3, 4, 5, Power Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, |
|--------------------|--|

Video Signal:

| | |
|-----------------------|---|
| Frequency Horizontal: | Analog: 24 ~ 82KHz. Digital: 15 ~ 82KHz |
| Frequency Vertical: | Analog: 50 ~ 75Hz. Digital: 24 ~ 75Hz |

Video Input:

| | |
|---------------|---|
| Analog Sync: | Separate Sync, Composite Sync, SOG Sync |
| Digital Sync: | TMDS, PCI-E |

Ergonomics:

| | |
|----------------------|-----------|
| Tilt (Forward/Back): | 17° / -5° |
|----------------------|-----------|

Weight (imperial):

| | |
|--------------------------|------|
| Net (lbs): | 6.55 |
| Net Without Stand (lbs): | 5.58 |
| Gross (lbs): | 9.92 |

Weight (metric):

| | |
|-------------------------|------|
| Net (kg): | 2.97 |
| Net Without Stand (kg): | 2.53 |
| Gross (kg): | 4.5 |

Dimensions (imperial) (WxHxD):

| | |
|-------------------------------|-------------------|
| Packaging (in.): | 23.8 x 15.6 x 4.5 |
| Physical (in.): | 21.3 x 16.3 x 8.2 |
| Physical Without Stand (in.): | 21.3 x 12.7 x 1.3 |

Dimensions (metric) (WxHxD):

| | |
|------------------------------|-------------------|
| Packaging (mm): | 604 x 395 x 115 |
| Physical (mm): | 540 x 414.1 x 209 |
| Physical Without Stand (mm): | 540 x 323 x 34.1 |

General:

Regulations: cULus, FCC-B, ICES-003, Energy Star 7.0, EPEAT Silver, NRCAN, UL-MXCoC, Mexico Energy

PACKAGE CONTENTS: LCD Display AC/DC Adapter (1.5m) Power Cable (1.5m) VGA Cable (1.5m) HDMI Cable (1.5m) Audio Cable (1.5m) Quick Start Guide ViewSonic Wizard CD-ROM

Recycle/Disposal: Please dispose of in accordance with local, state or federal laws.

Warranty: Three-year limited warranty on parts, labor and backlight

UPC: 766907848410

Accessories:

CB-00008948, CB-00010684, CB-00010958, LCD-CABLE-001, LCD-WMK-001, VSPF2360, cb-00011486

Accessories:

On Screen Display:

Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)

Awards:



Operating Conditions:

Temperature: 32-104° F (0-40° C)

Humidity (non-condensing): 20-90%

Copyright © ViewSonic Corporation 2000-2017. All rights reserved. (01/31/2017 01:39 PM PST)