

BladeCenter HS23E

All-purpose, flexible blade server designed for energy efficiency and performance



The BladeCenter® HS23E offers you flexible configuration options and provides you the energy efficiency and density you need. Combine the twelve DIMM slots supporting up to 192 GB of DDR3 memory at 1600 MHz, with the integrated 1 Gigabit Ethernet (GbE) onboard for flexibility with value.

Superior performance

The HS23E offers value for performance, with support for the new 8-core Intel Xeon processor E5-2400 product family that processes up to 16 simultaneous threads and 1600 MHz memory. It is ideal for a variety of workloads such as business applications, virtualization, IT and web infrastructure, point of sale and smart computing.

Optimized for energy efficiency

The HS23E is designed to help you be smarter about energy usage. It supports low-voltage processors and memory. The HS23E offers unbounded compatibility in all BladeCenter chassis, including BladeCenter E to provide density, optimize energy efficiency and minimize power consumption.

Built for flexibility

The HS23E provides two ports of integrated 1 GbE and optional 4-port 10 GbE adapter for networking scalability. The option of software or hardware RAID provides flexibility to configure the HS23E to meet your business needs.

Select configurations of the HS23E are part of the Express Portfolio™ designed to meet the needs of small and mid-sized businesses. Easy to manage, Express models vary by country.

Why System x

System x is the leading provider of x86 systems for the data center. The portfolio includes rack, tower, blade, dense and converged systems, and supports enterprise class performance, reliability and security. System x also offers a full range of networking, storage, software and solutions, and comprehensive services supporting business needs throughout the IT lifecycle.



Specifications

Form factor/height	Single-width (30 mm)
Processor (max)	Intel Xeon processor E5-2400 product family, with up to 8 cores, processing up to 16 simultaneous threads
Number of processors (std/max)	1/2
Cache (max)	20 MB
Memory (max)	Capacity: 12 DIMM sockets at 192 GB Speed: VLP Registered ECC DDR3, at 1333 or 1600 MHz, memory mirroring and sparing supported
Expansion slots	1 CIOv slot (standard PCIe daughter cards) and 1 CFFh slot (high-speed PCIe daughter card)
Disk bays (total/hot-swap)	2 hot-swappable hard disk drives or solid state drives
Maximum internal storage	2 TB (assumes 1 TB drives)
Network interface	Broadcom 5718 onboard NIC with dual Gigabit Ethernet ports with TOE
RAID support	RAID-0, -1: choice of software and hardware RAID
System management	Unified Extensible Firmware Interface (UEFI), Integrated Management Module, Predictive Failure Analysis, optional embedded hypervisor for virtualization, IBM Systems Director Active Energy Manager™, light path diagnostics, Systems Director, Server Guide™, UpdateXpress, Dynamic System Analysis with Integrated RT Diagnostics, BladeCenter Open Fabric Manager
Operating systems supported	Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise, VMware
Limited warranty	3-year customer replaceable unit and onsite limited warranty, next business day 9x5, service upgrades available

Options

1.2 TB 10K 6 Gbps SAS 2.5" G2HS HDD 00AD075 Optimize density and performance with the latest 2.5" HDDs	1 TB 7.2K 6 Gbps NL SATA 2.5" SFF Slim-HS HDD 81Y9730 Optimize storage with high density and low cost per GB hard drives	16 GB (1x16 GB, 2Rx4, 1.5V) PC3-12800 CL11 ECC DDR3 1600 MHz VLP RDIMM 90Y3157 Add more memory to help improve the performance of all your workloads
--	--	--

For more information

To learn more about the BladeCenter HS23E, contact your Lenovo Business Partner or visit lenovo.com/servers

NEED STORAGE?

Learn more about LenovoEMC
lenovoemc.com

NEED SERVICES?

Learn more about Lenovo Services
lenovo.com/services

© 2014 Lenovo. All rights reserved.

Availability: Offers, prices, specifications and availability may change without notice. Lenovo is not responsible for photographic or typographic errors. **Warranty:** For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC, 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. **Trademarks:** Lenovo, the Lenovo logo, System x, ThinkServer, TruDDR4 are trademarks or registered trademarks of Lenovo. Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Core, Core Inside, Xeon and Xeon Inside are registered trademarks of Intel Corporation in the U.S. and other countries. Other company, product, and service names may be trademarks or service marks of others. Visit <http://www.lenovo.com/lenovo/us/en/safecomp.html> periodically for the latest information on safe and effective computing.

IBM x86 products are now products of Lenovo in the U.S. and other countries. Learn more at ibm.com/lenovo-acquisition

