HP OfficeJet Pro 8710/8720/8730/8740 All-in-One Printer series



Affordable color, HP Print Forward Design, and essential fleet management in an all-in-one.

Maximize your print environment with space-saving HP Print Forward Design and professional-quality, low-cost color.¹ Help reduce costs with fleet management solutions. Stay productive with an all-in-one designed for high-volume enterprises.



HP OfficeJet Pro 8710 All-in-one Printer



HP OfficeJet Pro 8720 All-in-one Printer



HP OfficeJet Pro 8730 All-in-one Printer



HP OfficeJet Pro 8740 All-in-one Printer

Affordable, professional color

- Manage your budget with professional-quality color at up to 50% less cost per page than lasers.
- Save up to 50% on ink⁵ and never run out.⁶ Print color or black-and-white for the same low price.
- Professional-quality prints for up to 50% less per page.¹ Save even more with HP Instant Ink.⁵
- Print up to 3x as many pages with optional Original HP high-yield ink cartridges (except 8710 model).⁷

Innovative design for superb office productivity

- Speed through print jobs, using superfast two-sided printing.8
- Breeze through multipage documents with two-sided scanning and a 50-page automatic document feeder (one-pass two-sided scanning in 8730/40 models).
- Revolutionary design delivers laser-like paper handling and superfast print speeds.
- Print more and reload less. Increase paper capacity to 500 sheets with a second 250-sheet paper tray (included in 8740 model).

Mobile printing that keeps your business covered

- Print with just a touch of your NFC-enabled mobile device to the printer—no company network needed (except 8710 model).⁹
- Print directly from your mobile device without accessing the company network, from anywhere in the
 office.³
- Easily print from a variety of smartphones and tablets.²
- Help protect information and access to confidential print jobs with HP JetAdvantage Private Print. 10


Ultimate fleet control, seamless management

- Get increased printing options with HP PCL 6, HP PCL 5c, HP PS, and scalable TrueType fonts (applies to 8730/40 models).
- Easily print Microsoft® Word and PowerPoint® files, plus Adobe® PDF files, directly from your USB drive (applies to 8730/40 models).⁴
- Experience a new style of business printing and imaging, with HP JetAdvantage On Demand solutions (applies to 8730/40 models).¹¹
- Easily take command of your printing environment from one central location, with HP Web Jetadmin.¹²

¹ Compared with the majority of color laser AiOs <US\$500, August 2015; market share as reported by IDC as of Q2 2015. Cost per page (CPP) comparisons for laser supplies are based on published specifications of the manufacturers' highest capacity cartridges and long life consumables. CPP comparisons for high-capacity HP ink supplies are based on published specifications of the manufacturers' highest-capacity cartridges. CPP based on high-capacity ink cartridges' estimated street price and page yield. ISO yield based on continuous printing in default mode. For more information, see https://doi.org/10.1007/jo/mobileprinting and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at https://doi.org/10.1007/jo/mobileprinting and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at https://doi.org/10.1007/jo/mobileprinting and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at https://doi.org/10.1007/jo/mobileprinting and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at https://doi.org/10.1007/jo/mobileprinting and Per Port and Air Port of an apport diver may also be required. For details, see https://doi.org/10.1007/jo/mobileprinting. Pending of the majority of companies. Feature works with Microsoft Word and PowerPoint 2003 and later. Only Latin language fonts are supported. Savings claim is based on HP Instant Ink Service plan price for 12 months using all pages in plan without purchase of additional

Product walk around: 8740 All-in-One

- 50-sheet single-pass, two-sided automatic document feeder (ADF)³
- 2 Legal-size flatbed scanner4
- 3 Cartridge access door
- 4 HP Print Forward Design with self-contained output bin5
- 5 4.3-inch (10.9 cm) color touchscreen with customizable shortcuts⁶
- 6 Easy-access USB port for convenient USB document printing⁷
- 7 Built-in automatic two-sided printing
- 8 250-sheet tray 1
- 9 250-sheet tray 28
- 10 Wi-Fi Direct® printing9
- 11 Built-in wireless networking¹⁰
- 12 NFC touch to-print111
- 13 Fax connection ports
- 14 Fast Ethernet network port
- 15 Hi-Speed USB 2.0 printing port
- 16 Hi-Speed USB 2.0 port (for connecting third party devices)



Series at a glance









Model (Product number)	8710 (M9L66A)	8720 (M9L75A)	8730 (D9L20A)	8740 (K7S42A)
Print speed in pages per minute (ppm), black/color (letter/A4)12	Up to 22/18 ppm	Up to 24/20 ppm	Up to 24/20 ppm	Up to 24/20 ppm
Two-sided print speed in ppm, black/color ¹³	Up to 12/10 ppm (letter/A4)	Up to 20/17 ppm (up to legal size)	Up to 20/17 ppm (up to legal size)	Up to 20/17 ppm (up to legal size)
ADF two-sided scan speed in images per minute (ipm), black/color ¹⁴	Up to 4/4 ipm	Up to 6/4 ipm	Up to 23/12 ipm	Up to 23/12 ipm
Control panel display	2.65-inch (6.75 cm) color touchscreen	4.3-inch (10.9 cm) color touchscreen	4.3-inch (10.9 cm) color touchscreen	4.3-inch (10.9 cm) color touchscreen
NFC touch-to-print ¹¹	Not available	√	√	√
Document printing from USB ⁷	Not available	Not available	√	√
Distributed enterprise solutions ¹⁵	Not available	Not available	√	√
Print input capacity (standard/optional) ⁸	250	250/500	250/500	500

³ The 50-sheet single-pass, two-sided automatic ADF is available with 8730 and 8740 models only. The 8710 model have a 50-sheet mechanical two-sided ADF ⁴ The 8710 model has a flatbed scanner that supports up to letter/Ad paper. ⁵ HP Print Forward Design is not available for 8730 and 8740 models only. Microsoft and PowerPoint are U.S. registered trademarks of the Microsoft group of companies. Feature works with Microsoft Word and PowerPoint 2003 and later. Only Latin language fonts are supported. ⁸ The second 250-sheet paper tray (up to legal size) is included with the 8740 model only, please purchase separately for 8730 and 8720 models, not compatible with the 8710 model. ⁹ Mobile device needs to be connected directly to the Wi-Fi Direct-supported AiO or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/qo/mobileprinting. Wi-Fi Direct is a registered trademark of the Wi-Fi Alliance[®]. ¹⁰ Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ¹¹ NFC touch-to-print is not available for the 8710 model. Requires a compatible NFC-printing-enabled mobile device, see hp.com/qo/motiorinting. ¹² Print speed is up to 22 ppm for the 8710 model. Printing-problem printing peed measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/qo/printerclaims. ¹² Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹³ Two-sided print speed is up to 12 ppm for the 8710 model, up to 20 ppm for 8720, 8730, and 8740 models. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. ¹⁵ Distributed enterprise management and security features ar

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

HP Care Pack Services provide comprehensive suite of protection services designed to keep HP Hardware and software up and running so employees can stay productive.

Business Priority Next Day Exchange:

Support technician will arrange the shipment of a replacement printer to customer business site to arrive the next business day. Cost of shipping included in Care Pack.

For care pack availability visit: hp.com/qo/cpc

















Top Features

Rely on remarkable value for your printing needs. Spend up to 50% less per page compared with lasers. Save up to 50% with HP Instant Ink, and get the color and black text output you need without running out of ink.

Experience revolutionary HP Print Forward Design. Get high speeds for two-sided print and scan jobs with laser-like paper handling, and preserve real estate with space-saving design (except 8710 model). Print longer—without reloading—from an optional second paper tray (included in 8740 model).

Keep business moving from anywhere in the office. Connect to devices with touch-to-print functionality. Easily print when and where you need to from your smartphone, tablet, or notebook PC—and maintain privacy. 10

Get everything you need to easily manage your printing environment, from drives to deployment to policies. Expand print capabilities with support for HP PCL 6, HP PCL 5c, and HP PS printing options (applies to 8730/40 models).

Accessories	
K7S44A	HP OfficeJet Pro 8700 250-sheet input tray (only for 8720/30, included in 8740 model)
Supplies	
F6U15AN	HP 952 Black Original Ink Cartridge (~1000 pages)
LOS49AN	HP 952 Cyan Original Ink Cartridge (~700 pages)
LOS52AN	HP 952 Magenta Original Ink Cartridge (~700 pages)
LOS55AN	HP 952 Yellow Original Ink Cartridge (~700 pages)
F6U19AN	HP 952XL High Yield Black Original Ink Cartridge (~2000 pages)
LOS61AN	HP 952XL High Yield Cyan Original Ink Cartridge (~1600 pages)
LOS64AN	HP 952XL High Yield Magenta Original Ink Cartridge (~1600 pages)
LOS67AN	HP 952XL High Yield Yellow Original Ink Cartridge (~1600 pages)
LOR39AN	HP 956XL High Yield Black Original Ink Cartridge (~3000 pages) (not compatible with 8710 model)

Services

HP OfficeJet Pro 8710 All-in-One Printer

UG101A	HP 2 year Care Pack w/Next Day Exchange for Officejet Printers
UG101E	HP 2 year Care Pack w/Next Day Exchange for Officejet Printers
UG071A	HP 3 year Care Pack w/Next Day Exchange for Officejet Printers
LIGO71F	HP 3 year Care Pack w/Next Day Exchange for Officeiet Printers

HP OfficeJet Pro 8720 All-in-One Printer

HP 2 year Care Pack w/Next Day Exchange for Officejet Printers
HP 2 year Care Pack w/Next Day Exchange for Officejet Printers
HP 3 year Care Pack w/Next Day Exchange for Officejet Printers
HP 3 year Care Pack w/Next Day Exchange for Officejet Printers

HP OfficeJet Pro 8730 & 8740 All-in-One Printers

UG103A	HP 2 year Care Pack w/Next Day Exchange for Officejet Printers
UG073A	HP 2 year Care Pack w/Next Day Exchange for Officejet Printers
UG103E	HP 3 year Care Pack w/Next Day Exchange for Officejet Printers
UG073E	HP 3 year Care Pack w/Next Day Exchange for Officejet Printers

HP OfficeJet Pro 8710/8720/8730/8740 Printer Series

Technical specifications	HP OfficeJet Pro 8710 All-in-One Printer (M9L66A)	HP OfficeJet Pro 8720 All-in-One Printer (M9L75A)	HP OfficeJet Pro 8730 All-in-One Printer (D9L20A)	HP OfficeJet Pro 8740 All-in-One Printer (K7S42A)	
iO functions		Print, copy	, scan, fax		
Ouplex print options			(standard)		
Print speed ^s	ISO speed: Up to 22 ppm black and 18 ppm color Maximum, letter: Up to 35 ppm black and color	ISO speed: Up to 24 ppm black and 20 ppm color Maximum, letter: Up to 37 ppm black and color	ISO speed: Up to 24 ppr Maximum, letter: Up to	n black and 20 ppm color	
First page out ⁶		Color (ready): As fast as 10 sec		; Color (ready): As fast as 11 sec	
Print resolution	Black (best): 1200 x 1200 rendered dpi Color (best):	Up to 4800 x 1200 optimized dpi on HP Advance Photo 1200 dpi input	Black (best): Up to 1200 x 1200 optimized dpi on plain	paper from 600 x 600 input dpi Color (best): Up to 2400 ce Photo Paper 600 x 600 dpi input	
Print cartridges number		4 (1 each black, cya			
IP Instant Ink	Instant I	nk Ready	Instant Ink eligible	Instant Ink Ready	
Aobile printing capability4 Borderless printing		HP ePrint, Apple AirPrint™, Android OS Yes, up to 8.5 x 11 in (US l			
Standard print languages	HP PCL 3 GUI. HF	P PCL 3 Enhanced		HP Postscript Level 3 emulation	
Printer management	HP Web Jetadmin; Embedded Web Server; HP Utility (Mac), HP JetAdvantage Security Manager optional HP Web Jetadmin; Embedded Web Server; HP Utility (Mac), HP JetAdvantage Security Manager optional JetAdvantage Security Manager optional			Printer Administrator Resource Kit; HP Utility (Mac), HP	
Printer smart software features	Orientation: Portrait/Landscape; Print on Both Sides: None/Flip on Long Edge/Flip on Short Edge; Page Order: Front to Back/Back to Front; Pages per Sheet 1, 2, 4, 6, 9, 16; Quality Settings: Draft/Normal/Best; Color: Black & White/Color; Printing Shortcuts; Print in Grayscale: OffHight Quality Grayscale/Black kin Only; Pages per Sheet Layout: Right then Down/Down then Right/Left then Down/Down then Left; Print in Max DPI: No/Yes; HP Real Life Technologies: Off/On; Booklet: None/Booklet-LeftBinding/Booklet-RightBinding; Pages to Print: Print All Pages/Print Odd Pages Only/Print Even Pages Only; Borderless Printing: Off/On; Page Borders: Off/On; Preserve Layout: No/Yes		Orientation: Portrait/Landscape/Rotate by 180 degrees; Print On Both Sides; Flip pages up; Pages per sheet: 1 page per sheet/2 pages per sheet/4 pages per sheet/6 pages per sheet/6 pages per sheet/9 print Quality; General Office/Professional/Presentation/Maximum dp; RGB color: Default (sRGB)/Photo (RGB)/Photo (Adobe RGB 1998)/Vivid (sRGB); Printing Shortcuts; Print in Grayscale: Off/Black ink Only/High quality grayscale; Page order: Ripht, then Down/Down, then Ripht/Left, then Down/Down, then Etgh Cyult Coff/ Left binding/Right binding; Print page borders; Special pages: Front Cover(No Covers/Blank or Preprinted/First Page) of Indip Dadek Cover(No Covers/Blank or Preprinted/First Page) of Indip Dages on different paper(Eq. 1.3.5)/Insert blank or preprinted sheets(Eg. 1.3.5); Resizing Options: Actual size/Print document on:/Scale to fit/% of actual size; Watermarks: [none]/Confidential/Draft/SaMPLE/First page only; Job Storage Mode: Off/Proof and Hold/Personal Job/Quick Covery/Sord Job (Nake Job Private/Secure: None/Pint Top intr/Encrypt Job (with password; User Name). User Name/Custom; Job Name: Automatic/Custom; If job name exists: Use Job Name + (1-99)/Replace Existing File; Cogles; (1 to 999)%; Collate; Reverse page order; Print all text a black		
Scan type/technology		Type: Flatbed, ADF; Technolo		- Page	
Scan speed	Normal: Up to 8 ipm, up to 8 ipm (200 ppi, b&w / color)	Normal: Up to 17 ipm, up to 8 ipm (200 ppi, b&w / color)		b&w); up to 8 ipm (200 ppi, color)	
	Duplex: Up to 4 ipm, up to 4 ipm (200 ppi, b&w / color)	Duplex: Up to 6 ipm, up to 4 ipm (200 ppi, b&w / color)		&w); up to 12 ipm (200 ppi, color)	
Scan resolution Scan file format	Scan File Type	Hardware: Up to 1200 x 1200 supported by Software: Bitmap (.bmp), JPEG (.jpq), PDF (.p		(txt). TIFF (tif)	
Scan input modes	Scarrite Type	Front-panel scan, copy		Amenda of the American	
Scan size maximum	Flatbed, ADF: 8.5 x 11 in (216 x 280 mm)	. a g. a a. a and ij topy	Flatbed, ADF: 8.5 × 14 in (216 × 356 mm)		
Twain version		Versio			
Bit depth/Grayscale levels		Bit Depth: 24-bit (color); 8	-bit (gray); Grayscale: 256		
Digital sending standard features		Scan-to E-mail; Fax			
Copy speed	Maximum, letter: up to 30 cpm black and 27 color; Laser comparable: Up to 20 cpm black and 14 color	Maximum, letter: up to	37 cpm black and color; Laser comparable: Up to 22 cpm	black and 16 cpm color	
Copy resolution	Table comparates of to 20 cpm black and 11 color	Black (text and graphics): Up to 600 dpi;	Color (text and graphics): Up to 600 dpi		
Max. no. of copies		Up to 9			
Copier resize		25 to	400%		
Copier settings	Copies; Two-Sided; Ligh	ter/Darker; HP Copy Fix; ID Copy; Resize; Quality; Paper Size	; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Tra	y Select; Enhancements	
Fax speed		4 sec p			
Fax resolution		k and White(fine): 203 x 196 dpi, 256 levels of gray; Black			
Fax features	Auto fax reduction supported: Yes; Auto-Redi	aling: Yes; Fax delayed sending: Yes; Distinctive ring de PC interface supported: Yes,		Junk barrier supported: Yes, requires Caller ID;	
Fax smart software features	Digital Fax -	Fax to Mac/Fax to PC is available with Windows and Macinto		st software.)	
Standard connectivity		1 USB 2.0; 1 Host USB; 1 Ethernet; 1 Wire	-		
Network capabilities		Standard (built-in Ether	-		
Wireless capability Memory speed	128 MB	256 MB		2 MB	
Duty cycle (monthly) ⁷	Up to 25,000 pages; Recommended monthly page		00 pages; Recommended monthly page volume: 250 to 1		
Paper handling	volume: 5 250 to 1500 pages	· · ·			
Input		250-sheet input tray; Extra/Optional 250-sheet input tra	y (optional for 8720/30 models, included in 8740 model)		
Output		150-sheet	output tray		
Media type	Brochure or Professional Paper; Other Photo Inkjet Pape	ofessional Paper; HP Matte Presentation Paper; HP Glossy ers; Other Matte Inkjet Papers; Other Glossy Inkjet Papers; ick; Plain Paper; Light/Recycled	Matte 180g; HP Brochure Glossy 180g; HP Advance	e 120g; HP Tri-fold Brochure Glossy 180g; HP Brochure d Photo Papers; Light 60-74g; Intermediate 85-95g; sin Paper; Letterhead	
Media weight			noto); 20 to 24 lb (envelope); up to 110 lb (card)		
Media sizes custom	10.720.012.45=/0	•	n to 8.5 x 14 in	10.720.016.2 = /01	
Dimensions (W x D x H) ¹	19.7 x 20.9 x 13.4 in (Duplexor built-in, output tray no need extend) Max: 19.7 x 25.2 x 12.5 in (with built-in duplexer, output tray extended to Legal)	19.7 x 20.9 x 13.4 in (Duplexor built-in, output tray no need extend) Max: 19.7 x 20.9 x 13.4 in (Duplexor built- in, output tray no need extend)	19.7 x 20.9 x 12.9 in (Duplexor built-in, output tray no need extend) Max: 19.7 x 20.9 x 12.9 in (Duplexor built-in, output tray no need extend)	19.7 x 20.9 x 16.2 in (Duplexor bullt-in, output tray no need extend, with second 250-sheet paper tray installed.) Max: 19.7 x 20.9 x 16.2 in (Duplexor built-in, output tray no need extend, with second 250-sheet paper tray installed.)	
Weight ²	25.4 lb	25.4 lb	33.44 lb	40.61 lb	
What's in the box	HP 952 Setup Yellow Instant Ink Ready Cartridge (CMY cor Cartridge (CMY composite ~625);8740: HP 952 Setup Blac		(~1000), HP 952 Setup Cyan Original Cartridge, HP 952 Setup stant Ink Ready Cartridge, HP 952 Setup Magenta Instant Ink ~625), 250-sheet Paper Tray	o Magenta Original Cartridge, HP 952 Setup Yellow Original Ready Cartridge, HP 952 Setup Yellow Instant Ink Ready	
Warranty features		year limited hardware warranty; 24-hour, 7 days a week We			
Compatible operating systems Compatible network operating		indows 10, 8.1, 8, 7: 32-bit or 64-bit, Mac: Apple OS X Yose			
Compatible network operating systems	connection, USB port, Internet Explorer 8. Windows XP S	C: Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or intercent connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only); an Intel Pentium III, Celeron or 23 Min Compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or internet connection, USB pointer 8. Macc Apple 05 X Vosemite (v10.10) 05 X Mavericks (v10.9), 05 X Mountain Lion (v10.8); 1 GB HD; Internet required; USB Linux (For more information, see highpopensource, com/highip-web/index.html)		ice, CD-ROM/DVD drive or Internet connection, USB port,	
Minimum system requirements Environmental ranges	PC: Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Mac: Apple OS X Yosemite (v10.10) OS X Mavericks (v10.9), OS X Mountain Lion (v10.8); I GB HD; Internet required; USB Linux (For more information, see hplipopensource.com/hplip-web/index.html) Recommended operating temperature: 59 to 90°F (15 to 32° C); Non-operating humidity range: 20 to 90% RH; Operating humidity range: 20 to 80% RH; Storage Temperature Range: -40 to 60° C (-40 to 140° F)				
Energy efficiency compliance		ENERGY STA			
Acoustic	Acoustic power emissions: 6.9 B(A); Acoustic pressure emissions: 63 dB(A) (draft printing at 20 ppm)	Acoustic power emissions: 6.9 B(A); Acoustic pressure emissions: 60 dB(A) (draft printing at 21 ppm)	des es		
Power ³	Power supply type: Internal (Built-in) Universal Power S	L Supply; Power supply required: Input voltage: 100 to 240 to 2	L VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Power Consumption: 35 watts maximum, 0.14 watts (Manual-Off), 6.10 watts sep) (8710 model), 1.30 watts (Sleep) (8720/30/40 models); Typical electricity consumption (TEC) number: 0.31		
Display	kWh/Week 2.65* (6.75 cm) CGD touchscreen 4.3* CGD touchscreen				
Software included		Windows Installer and discrete PCL 6 driver; Mac Ins	taller and PS driver; HP Participation Study; IRIS OCR		
Security management	SSL/TLS (HTTPS), IPP over TLS; WPA2-Enterprise wired; 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP); Pre-Shared Key Authentication for Wireless (PSK); firewall, certificates configuration, Control panel lock; Password protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; optional HP JetAdvantage Security Manager outpers of the Standard Security Manager authentication and authorization access control; configuration; control panel lock; protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; no authentication and authorization access control; configuration; control panel lock; protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; no authentication and authorization access control; configurable authentication of Wireless (PSK); firewall, certificates configuration; control panel lock; protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; no authentication and authorization for Wireless (PSK); firewall, certificates configuration; control panel lock; protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; no authentication and authorization for Wireless (PSK); firewall, certificates configuration; control panel lock; protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; no authentication and authorization for Wireless (PSK); firewall, certificates configuration; control panel lock; protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; no authentication and authorization for Wireless (PSK); firewall, certificates configuration; control panel lock; protect EWS; Unused protocol and service disablement; Syslog; Signed firmware; Administrator settings; no authentication of Wireless (PSK); firewall, certificates configuration; control panel lock; protect EWS; Unused protocol an				
1 Dimensions was as per configuration	 	s are based on the country/region where the printer is sold.		y checking, Run-time code integrity rinter and void the product warranty. 4 Wireless	

1 Dimensions vary as per configuration 2 Weight varies as per configuration 3 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. 4 Wireless performance is dependent upon physical environment and distance from the access point. Wireless operations are compatible with 2.4 GHz routers only; excludes wireless direct. Wireless direct may require driver or apps be installed and connected on wireless-enabled mobile device or PC. Wireless functionality may vary by computer and mobile operating systems, see https://pconnected.com. HP ePrint requires: account registration, HP ePrint-enabled printer, internet connection, and a wireless-enabled mobile device or Internet-connected computer with email capability. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary, AirPrint supports OS X® Lion, OS X® Mountain Lion and the following devices running iOS 4.2 or later: iPad®, iPhone® (3GS or later), iPod touch® (3rd generation or later) and requires the printer be connected to the same network as your OS X or iOS device. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® inc. Windows is a trademark of the Microsoft group of companies. BlackBerny® names and logos are the property of Research in Motion Limited. Android is a trademark of Google Inc. Speed specifications have been updated to reflect current industry testing methods. Either after first page or after first set of ISO test pages. For details see <a href="https://pcommends.that.the.number of printed.pages.per month be within the stated range for optimum device performance, based on factors including supplies replacement."

To learn more, visit hp.com

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

