Data sheet

HP LaserJet Enterprise M506 series



Get a faster startup¹ and help protect against threats with multi-level device security⁷.

Finish tasks faster with a printer that starts right away and helps conserve energy.¹ Multi-level device security helps protect from threats⁷. Original HP Toner cartridges with JetIntelligence and this printer produce more high-quality pages.²



HP LaserJet Enterprise M506n



HP LaserJet Enterprise M506dn



HP LaserJet Enterprise M506x

Accelerate your work and use less energy

- Don't wait for documents. Print your first page in as few as 8.3 seconds from energy-efficient sleep mode.
- This printer leads its class in low energy use—thanks to its innovative design and toner technology.⁵
- Speed through jobs on a variety of media. Print two-sided documents almost as quickly as one.
- Now almost 27% smaller—this printer fits in tight places and delivers quiet operation.³

Unparalleled fleet security and management

- Embedded features detect security threats and heal your printer, protecting it from boot up to shutdown.⁷
- Protect sensitive data stored on the printer and in transit, using embedded and optional security features.⁷
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.⁹
- Centralize control of your print environment with HP Web Jetadmin®—and help build business efficiency.

More. Pages, Performance, and Protection.

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Get more. Original HP Toner with JetIntelligence delivers more pages per cartridge than predecessors.²
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with a preinstalled toner cartridge. Replace it with an optional high-yield cartridge.

Stay connected with secure mobile printing options

- Enable 128-bit encrypted wireless direct printing from mobile devices—without accessing the network.¹¹
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.¹²
- Easily access, print, and share resources with Ethernet and optional wireless networking.¹⁰

¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see hp.com/go/Ljdaims² More pages versus predecessor cartridges claim based on page-yield comparison of HP 55X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see hp.com/go/Lightms² More pages versus predecessor cartridges claim based on page-yield comparison of HP 55X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see hp.com/go/Lightms⁶ HP 87X High Yield Black Original LaserJet Toner Cartridges to three leading competitors as of 8/2015. Actual results may vary. For details see hp.com/go/Ljclaims.⁶ HP 87X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately. ⁷ Based on HP esting additional purchases. A FutureSmart service pack update may be required to activate security features.Learn more at hp.com/go/printingsolutions. ¹⁰ Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ¹¹ Wireless direct printing is standard on the HP LaserJet Enterprise M506x only. Requires purchase of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/Dusinsessmobileprinting ¹² Touch-to-print capability is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506x only. Requires purchase of potional HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the H

HP LaserJet Enterprise M506x

Product walkaround

- 1. Intuitive 4.3-inch (10.9 cm) color VGA control panel tilts up for easier viewing
- 2. Home button (returns to home screen)
- 3.250-sheet output bin
- 4. Easy-access USB port to print files directly¹
- 5. Top cover access to Original HP Toner cartridge with JetIntelligence
- 6. 100-sheet multipurpose tray
- 7. Two 550-sheet input trays for a 1,200 sheet total input capacity
- 8. Hardware Integration Pocket (HIP) for solution integration²
- 9. Built-in wireless direct³ /NFC touch-to-print⁴
- 10. Convenient front on/off switch
- 11. Built-in automatic two-sided printing
- 12. Rear door (access to the print path)
- 13. 512 MB standard memory (upgradeable to 1.5 GB) and a 1.2 GHz processor
- 14. Access port for optional Kensington-style lock
- 15. HP Jetdirect Gigabit/Fast Ethernet embedded print server
- 16. Hi-Speed USB 2.0 port (for connecting third-party devices)
- 17. Hi-Speed USB 2.0 printing port





Front view

Close-up of I/O ports

Series at a glance



in the second



Model	HP LaserJet Enterprise M506n	HP LaserJet Enterprise M506dnHP LaserJet Enterprise M506x	
Product number	F2A68A	F2A69A	F2A70A
100-sheet multipurpose tray, 550 sheet input tray 2	\checkmark	\checkmark	\checkmark
550-sheet input tray 3	Optional	Optional	
2 550-sheet input trays 4 and 5 ^s	Optional	Optional	Optional
Printer cabinet	Optional	Optional	Optional
Control panel	4-line display with keypad	4-line display with keypad	4.3-inch (10.9 cm) touchscreen
HP High Performance Secure Hard Disk	Optional	Optional	Optional
Hardware Integration Pocket (HIP) ²	Not available	\checkmark	
Automatic duplexing	Not available	\checkmark	
Wireless direct ³ and NFC touch-to-print ⁴	Optional	Optional	
ENERGY STAR [®] and Blue Angel certified	Not available		\checkmark

¹An administrator must enable the easy-access USB port before use. ²The Hardware Integration Pocket is only available for the HP Laser Jet Enterprise M506dn and M505x models. Enabling the HIP requires purchase of optional HP Internal USB Ports for M506/M527 accessory (F2A87A). Solutions deployed through the Hardware Integration Pocket may require additional purchase. ³Wireless direct printing is standard on the HP Laser Jet Enterprise M506x only. Requires purchase of optional HP Internal USB Ports for M506/M527 accessory (F2A87A). Solutions deployed through the Hardware Integration Pocket may require additional purchase. ³Wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/businessmobileprinting. ⁴Touch-to-print capability is standard on the HP Laser Jet Enterprise M506n/dn. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. ⁵Based on ISO/IEC 19752 cartridge yields for HP 55X High Yield Black Original Laser Jet Toner cartridges. Compared with HP 87X High Yield Black Original Laser Jet Toner cartridges.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Next Business Day Exchange:

Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.

For carepack availability visit: hp.com/go/cpc











Top features

Work guickly with the fastest first page out from sleep mode—on the most energy-efficient printer in its class.¹⁵ Launch two-sided printing right from the touchscreen. Reload paper less often with a substantial 2,300-sheet maximum capacity.4

Trust your printer is secure from power-up to power-down. Get strong protection for devices, data, and documents with embedded and optional security features while centrally managing your entire printer fleet.

Bring out the best in your printer. Print more high-guality pages than ever before,² using specially designed Original HP Toner cartridges with JetIntelligence. Count on the authentic HP quality you paid for—something the competition can't match.

Enable secure wireless printing in the office—with or without network access¹¹—and keep users connected with Ethernet and optional wireless networking. Print with just a touch from mobile devices.12

Accessories

F2A72A - HP LaserJet 550-sheet Paper Tray F2A73A - HP LaserJet Printer Cabinet G6W84A - 1GB DDR3 SlimDIMM B5L29A - HP Secure High Performance Hard Disk Drive F5S62A - HP Trusted Platform Module Accessory F2A87A - HP Internal USB Ports for M506, M527 B5L28A - HP Internal USB Ports J8031A - HP Jetdirect 2900nw Print Server (USB) J8030A - HP Jetdirect 3000w NFC/Wireless Accessory

Supplies

CF287A - HP 872A Black Original Laser Jet Toner Cartridge, 9K yield CF287X - HP 872X Black Original LaserJet Toner Cartridge, 18K yield

Services

HP LaserJet Enterprise M506 Series

U8PK3E - HP 3 year Next Business Day + Defective Media Retention LaserJet M506 Hardware Support U8PK4E - HP 4 year Next Business Day + Defective Media Retention LaserJet M506 Hardware Support U8PK5E - HP 5 year Next Business Day + Defective Media Retention LaserJet M506 Hardware Support U8PK7E - HP 3 year Next Business Day Exchange LaserJet M506 Service UC742E - HP Network Install Mono Mid-range LaserJet Service

¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see hp.com/go/Ljclaims² More pages versus predecessor cartridges claim based on page-yield comparison of HP 55X High Yield Black Original Laser Jet Toner Cartridges with HP 87X High Yield Black Original Laser Jet Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies³ Compared with the HP Laser Jet Enterprise P3015. 4 Purchase of optional paper trays required to reach maximum input capacity. 5 Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see hp.com/go/Lyclaims.⁶ HP 87X High Yield Black Original Laser Jet Toner Cartridges not included; please purchase separately.⁷ Some features require additional purchase. Learn more at hp.com/go/printsecurity.⁸ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin. 9 Some solutions require download or additional purchase. Learn more at hp.com/go/printingsolutions. 10 Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. 11 Wireless direct printing is standard on the HP Laser Jet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/dn. Mobile device needs to be connected directly to the WiFi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/businessmobileprinting 12 Touch-to-print capability is standard on the HP Laser Jet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Laser Jet Enterprise M506n/dn. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting

HP LaserJet Enterprise M506 series

Image: Control Number of Contro Number of Control Number of Control Number of Control Number of C	Technical Specifications	HP LaserJet Enterprise M506n(F2A68A)	HP LaserJet Enterprise M506dn(F2A69A)	HP LaserJet Enterprise M506x(F2A70A)		
Date: Total Constrainty Total Constrainty Total Constrainty File Constrainty File C	Print speed	Letter: Up †	o 45 ppm black; ¹⁸ ; First Page Out Black: As fast as 5.9 sec; As fast as 11.3 s	ec (100 V); ¹⁹		
hier Houkedger 100, IP 2016, I	Print resolution		Black (best): Up to 1200 x 1200 dpi			
Standard Conscription HE MAD (II. PEPC) SPEP ICI SPEP		Laser;	Print Resolution Technologies: 300 dpi, 600 dpi, HP FastRes 1200, HP ProRe	es 1200		
Prioter Sanzt Software Features Runderform Timmum, Open Extensible (Nation, Instance Internalog), Instance Software (Sec 2000), Sec 2000, Priority Registration, Sec 2000, Prior, Priore, Sec 2			1 (black)			
Printer Samet	-	HP PCL 6, HP PCL 5 (HF	PCL 5 driver available from the Web only), HP postscript level 3 emulation, na	ative PDF printing (v 1.7)		
Standard Conservativity H4 speet (DB2 20 pert Like): In Fraid Enternet 1008kep T (DB2 kep Enternet 1000kep T Network Capabilities PM-IRN-R daple Bioryac Comparison (MAC, PM-CA, MAC, MAC, PM, PM, PM, PM, PM, PM, PM, PM, PM, PM		HP Auto-On/Auto-Off technology, Easy Access USB, JetIntelligence cartridges,	HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, JetIntelligence cartridges, Mopria-certified, Apple AirPrint™, HP ePrint,	HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, JetIntelligence cartridges, Mopria-certified, wireless direct, NFC touch-to-print		
Header AppaBility PH4/IP-6. AppE Despar Campable Mar. CS v10.2.4 or npplet, SMM-M 2020, ITTRE ITTR	Printer Management					
Identification Identifi	Standard Connectivity	Hi-Speed	USB 2.0 port; built-in Fast Ethernet 10Base-T/100Base-Tx, Gigabit Ethernet 10	DOOBase-T		
wireless Capability Optional, ended will purchage of PPArcespoins. We, NEC/Weekses Reade Printing Capability 119 eParce, apple APrint ^m , Mopule-certified ¹⁶ 119 ePrint, Apple APrint ^m , Mopule-certified ¹⁶ Reader 120 ePrinting Capability 119 eParce, apple APrint ^m , Mopule-certified ¹⁶ 119 ePrint, Apple APrint ^m , Mopule-certified ¹⁶ Description 120 ePrinting Capability 120 ePrinting Capability 119 ePrinting Capability Processor Speed 120 ePrinting Capability 120 ePrinting Capability 119 ePrinting Capability Description Apple Capability 120 ePrinting Capability 110 ePrinting Capability 110 ePrinting Capability Description 119 ePrinting Capability 110 ePrinting Capability 110 ePrinting Capability 110 ePrinting Capability Product Dimension Wire D K 116 GA 2D EPrinting Capability 110 ePrinting Capability 110 ePrinting Capability 110 ePrinting Capability Product Dimension Wire D K 116 GA 2D EPrinting Capability 120 ePrinting Capability 120 ePrinting Capability Product Dimension Wire D K 116 GA 2D EPrinting Capability 120 ePrinting Capability 120 ePrinting Capability Product Dimension Wire D K 116 GA 2	Network Capabilities	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2	IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print	(MPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet,		
Notice Priorities Capability LIP ethics, tappe An Prior* LIP ethics, tappe An Prion* LIP ethics, tappe An Prior* <	Network Ready		-			
Interview Excent of the strength of the strengt of the strength of the strengt of the strength of the						
Processor Speed 1.2 GHV (Hard disk: Cprimum. Brook Speed Mainty, Jesser Lip to 150,000 page?. Recommended Manhy Page Values: 2000 to 7500 [®] Paper Fandling Imput Capacities: 100 -bited multipurport Tray 1, 550 -bite input Tray 2, and 3MoSoDa Jamoranic Caples printing MSSGMA A MSGNL (Jup Capacities): 200 -bited standard Liberis (Jup Lip 220 ontext Standard Libe	Mobile Printing Capability	HP ePrint; Apple AirPri	HP ePrint; Apple AirPrint™; Mopria-certified ¹⁶			
Daty Cycle Hanthy, letter: Up to 150,000 page?, Recommended Monthy Page Volume: 2000 to 7500 [®] Page Tsmilling Input Capacities: 10-addeminity of the control of the con						
Paper Handling Paper Exercise: Display Exeris: Display Exeris: Di	Processor Speed	1.2 GHz / Hard disk: Optional, 500 GB minimum encrypted hard disk drive				
Original Capacities: 250-sheet count bits: (bit 250 sheet count bits: (bit 250	Duty Cycle	Monthly	, letter: Up to 150,000 pages ⁷ ; Recommended Monthly Page Volume: 2000	to 7500 ⁸		
Product Weight 25.5 lb ⁴ 25.9 lb ⁴ 34.9 lb ³ What's in the box IIP Laser/et M506x Phinter, Introductory HP Black Laser/et Tomer Catrolige (-600 page); LDs containing software and electronic documentator, Warranty Guides, HIDS; Erratas, 550 - Sheet Pager Tray (M506x only) ²⁰ Warranty Features Den-yeave; return to borch warranty Energy Efficiency Compliance EXERCY SIAP ⁶ certified; Blue Angle; LCD: EPEAR [®] Control Panel 4-line color LDD (alor graphics) 4.3-in color touchscreen with color graphics Diplay Description 4-line COL (alor graphics) 4.3-in color touchscreen Software Included For Windows OS: IP Software Installer, HP PCL 92 Internal scalable for in PD pocket Sperieres (DXP)/Jown 4P. Count of SApp Source to Laser HS Software) 4.3-in color touchscreen Compatible Operating Systems ToS internal True Type forts scalable in HP PCL 92 Internal scalable forts in HP postscript Level Structure scalable in HP CDC 9973 all 32-8 de4-bit editions (Windows Vita all 32-4 bit editors of Postance to mobile with Him-Bocn Windows 2005 analytic term scalable fort in HUD scalable in HP CDC 9973 all 32-8 de4-bit editors, Windows RM all	Paper Handling	Output Capacities: 250-sheet output bin; Up to 250 sheets standard labels legal; Duplex Options: Manual (driver support provided) (Ms06n); Automatic (standard)(Ms06n); Ams06n); Ams06n				
What's in the box HP LaserJet MSGN Printer; Introductory HP Black LaserJet Toner Catridge (-6000 pages); CDs containing software and electronic documentation. Warandy Gudes; HIGS; Enrats;; S50-sheet Paper Tray (MSGN ordy) ^{2/Q} Warandy Features Devyex; return to bench waranty Emergy Efficiency Compliance 4.3-In Courdscreen with color graphics Opplay Description 4.3-In Courdscreen with color graphics Officiency Compliance For Windows; OS: HP Software hestaller/Unistalle; HP QL 6 Printer Dine; HP Device Experience (Control Asserts) 4.3-In Courdscreen with color graphics Opplay Description 6-Inter Dine; CD graphics 3.3-In Courdscreen with color graphics Opplay Description 10-Sinternal TrueType (Dns scalable in HP QL 2 Printer Dine; HP Device Experience (Dn control Assert Browner) Control Assert Browner Fonts and TypeFaces 10-Sinternal TrueType (Dns scalable in HP QL 2) and 2.3-In editions (PD Jerne; DP Quer, Legues) to Induce (Sinternal Unicode Forts (Calable); Compatible Operating Systems Windows (SS compatible with In-Aso There Windows SP SP 3.31.2-2-3.6-4-bit editors; (Vindows Vista 31.2-2-8.6-4-bit	Product Dimensions	W x D x H: 16.46 x 14.80 x 11.73 in ¹²	; Maximum: 16.46 x 25.16 x 11.73 in	W x D x H: 16.46 x 14.80 x 18.94 in ¹³ ; Maximum: 16.46 x 25.16 x 18.94 in		
Warranty Features One-yeak, return to bench, warranty Energy Efficiency Compliance ENERGY STAP® certified, Bus Angel, CECP, FERA® Control Real 4-line color LCD, 19 buttons (Gancel job, Up and Down arrow, Select, Back, Home, 12-key and Help3 table Mathematics, Busy) 4.3-in color touchscreen Software Included For Windows OS: HP Software Installer/Uninstaller, HP PCL, 9P internal scalable fonct in Hp podstript Level 3 multiple and the and the podstript Level 3 multiple and the and the podstript Lev	Product Weight	25.5 lb ¹⁴	25.9 lb ¹⁴	34.9 lb ¹⁵		
Warranty Features One-yeak, return to bench, warranty Energy Efficiency Compliance ENERGY 51R4* cartified, Blue Angle, CECP, FER4* Control Panel 4-line color LCD; 19 buttons (Cancel Job, Up and Down arrow, Select, Back, Horn, 12-key and Help); 31L Dindicator lights (Netterinin, Ready, Busy) 4.3-in color touchscreen Software Included For Windows OS: HP Software Installer/Uninstaller, HP PCL, 6P interent Done, HP Devers Experience (DXR), HP Update, Product Registration Assist, HP Web Sortware Installer, Online were manuals, For Mar, OS Welcome Screen (DXR), HP Update, Product Registration Assist, HP Web Sortware Installer, Online were manuals, For Mar, OS Welcome Screen (DXR), HP Update, Product Registration Assist, HP Web Sortware Installer, Online Were manuals, For Mar, OS Welcome Screen (DXR), HP Update, Product Registration Assist, HP Web Sortware Installer, Online Were manuals, For Mar, OS Welcome Screen (DXR), HP Update, Product Registration Assist, HP Web Sortware Installer, Marking Marking, Marki	What's in the box	HP Laser let M506x Printer: Introductory HP Black Laser let Toper Cartri	i dae (~6000 pages): CDs containing software and electronic documentation: W	Jarranty Guides: HIGS: Erratas: 550-sbeet Paper Tray (M506x only)20		
Energy Efficiency Compliance ENERGY STAP® certified: Blue Angel; EEOP; EPA1® Control Panel 4-line color LCD; 19 buttors (cancel job, Up and Down arrow, Select, Back, Home, 12-key and Help); 31ED ridcator lights (Attention, Ready, Busy) 4.3-in touchscreen with color graphics Display Description 4-line LCD (color graphics) 4.3-in color touchscreen Software Included For Windows 05; HP Software Installer/Unitstaller, HP PCL 6 Printer Prive, IPD Device Experiment (DXP), HP Update, Product Registration Assist, HP Web Services. Assist (HP Connected), Online user manuals; For Mac OS: Webcare Screen (Directs users to http://www.HP con or OS App Source for Lazer Ke Software) Fonts and Typefaces 105 internal True Type forts scalable in HP PCL 50 for balates, Windows XP SP3 all 32-bit editions (PD assist, HP Laser) Hence Software Installer And Modes Web 24 Software) Compatible Operating Systems Windows OS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (RocLuding RT OS for Tablets), Windows 7 all 32-8 64-bit editions; (Windows XP SP3 24 Software Installer, Windows XP, SP3 24 Software Installer, Windows XP, SP3 24 Software Installer, Windows XP, SP3 24 Software Installer Formating, Priorisobalate, Windows XP SP3 24 Software Installer, Windows XP, SP3 24				anality dalace, most, charast, soo sheer aper may (hoookonky)		
Control Panel 4-line color LCD; 19 buttons (Cancel job, Up and Down arrow; Selet: Back, Homes, 12-ley and Help; 3 LED indicator lights (Attention, Ready, Busy) 4-3-in touchscreen Diploy Description 4-line LCD (Color graphics) 4-line LCD (Color graphics) 4-3-in color touchscreen Software Included For Windows OS: IP Porture Pixe, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals, For Vac OS: Webcrme Screen (Directs user) to the porture of Laser He Software) 4-3-in color touchscreen Fints and Typefaces 105 internal True Pyef onts scalable in HP PCL, 92 internal scalable from Hy PCL, 92 internal scalable from Hy PCL, 92 internal scalable from Hy PCL, 93 internal Scalable from Hy PCL, 94 internal Windows SG compatible with Inversal Print Driver (From HP com); Windows SG interprisesion, etc.V. Windows SG into 25: 64-bit editions, (Wondows SG intors); 50, Android, Nadows SG intors); 50, Android, 103 intor, 95 intor 25: 64-bit editions, (Wondows SG intors); 50, Android, 104, 101, Debates, Windows SG intors); 50, Android, 104, 101, Debates, Windows SG intors); 50, Android, 104, 101, Debates, Windows SG intors); 50, Android, 104, Windows SG intores; 50, Android, 104, Windows SG intore, 50, Android, 104, Windows SG intore, 50, Android, 104, Windows SG intore, 50, Windows Server 2002/2003 R2 22-bit (SP / SP / Standard/Enterprise (Pouster & Terminal Service), Windows Server 2002/2003 R2 22-bit (SP / SP / SU / SU / SP / SU / SU / SU /						
Display Description 4-line LCD (color graphics) 4-line LCD (color graphics) Software Included For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS: Welcome Screen (DXP), MP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS: Welcome Screen (DXP), MP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS: Welcome Screen (DXP), MP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS: Welcome Screen (DXP), MP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS: Welcome Screen (DXP), MP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS: Welcome Screen (DXP), MP Online USER (DXP), MP ONLINE (D		4-line color LCD: 19 buttons (Cancel iob. Up and Down arrow. Select. Bac		4.3-in touchscreen with color graphics		
Software Included For Windows OS: HP Software Installer/Unistaller, HP PCL 6 Printer Driver, HP Device Separation (XXP), HP Update, Product Registration Assist, HP Veb Services Assist (HP Connected), Online user manuals; For Mac OS: Welcome Screen Directs users to http://www.HP.com or OS App Source in classer let Software) Forts and Typefaces 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation available at Http://www.Hp.com.mg/olfaserjeffonts Compatible Operating Systems Windows OS: Compatible with In-Box Driver, Windows SP SP 3all 22-bit editions (VP Home, XPP rev. (V), Window Strata II2-bit editions (VP Home, XPP rev. (V), Window Strata II2-bit editions (VP Home, XPP rev. (V), Window Strata III2-bit editions, Windows, III all 2-8 66-bit editions, Windows, III all 2-8 66-bit editions, Windows (VI, III all 2-8 66-bit editions, Windows, IIII all 2-8 66-bit editions, Windows, IIII all 2-8 66-bit editions, Windows, Sork 0.5 X 10.0 Nearrity, IIII all 2-8 66-bit editions, Windows, Sork 0.5 X 10.0 Nearrity, IIII all 2-8 66-bit editions, Windows, Sork 0.5 X 10.0 Nearrity, IIII all 2-8 66-bit editions, Windows, Sork 0.5 X 10.0 Nearrity, IIII all 2-8 66-bit editions, Windows, Sork 0.5 X 10.0 Nearrity, IIII all 2-8 66-bit editions, Windows, Sork 0.5 X 10.0 Nearrity, IIII all 2-8 66-bit editions, Windows, Sork 0.5 X 10.0 Nearrity, IIII all 2-8 66-bit editions, Windows, Sork 0.5 X 10.0 Nearrity, IIII all 2-8 66-bit editions, Windows, Sork 0.5 X 10.0 Nearrity, IIII all 2-8 66-bit editions						
Cambridge Cambridge Cambridge Question Question <td< td=""><td></td><td colspan="3"></td></td<>						
32-8 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows 78-1 all 22-8 64-bit editions, Windows 78-1 all 22-8 64-bit edi	Fonts and Typefaces	Cambria); additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at Http://www.hp.com/go/laserjetfonts				
Systems Services, Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2003/2008 R2: 4-bit (SP1)/SP3 Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2003/2008 R2: 4-bit (SP1)/SP3 Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2003/2008 R2: Clirix Xentpp 5.0 (Ruster Raterians) Services); Clirix (no Windows Server 2003/2008 R2: Clirix Xentpp 5.0 (Cliris Feature Pack 2 & 3). (Clirix MetaFrame Presentation Server 4, 0/4.5, Clirix XenApp 5.0 (Ruster Raterians) Server 2003/2008 R2: Clirix XenApp 5.0 (Ruster Raterians) Reserver 2003/2008 R2: Clirix	Compatible Operating Systems	32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows OS compatible with Universal Print Driver (From HP.com): Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc), Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc), Windows 7 all 32- & 64-bit editions (windows 7 all 32- & 64-bit editions (windows 10 all 32- & 64-bit editions (From HP.com): Windows 10 all 32- & 64-bit editions (Windows 7 all 32- & 64-bit editions				
for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); CD-ROM or DVD drive, or Internet connection: Dedicated USB or network connection: 700 MB available hard disk space; OS compatible hardware (For OS hardware requirements see http://www.microsoft.com/NAC. Mac OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; I GB available hard disk space; OS Compatible hardware (For OS hardware requirements see http://www.microsoft.com/NAC. Mac OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; I GB available hard disk, SS compatible hardware (For OS hardware requirements see http://www.mpice.com) Power Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 100 to 127 VAC, 60 Hz; Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, power supply varies by part number with #option code identifier); Power Consumption: 741.98 watts (Active Printing), 13.72 watts (Ready), 2.51 watts (Sleep), 0.08 watts (Auto-Off), 0.08 watts (Off); Typical Electricity Consumption: 1.886 kWHrs/Week @ 115V ² Acoustics Acoustic Power Emissions: 6.8 B(A); Acoustic Pressure Emissions: 5.4 dB(A) ⁶ Operating Empirature Range: 59 to 90.5°F; Recommended Operating Temperature: 6.3.5 to 77°F; Storage Temperature Range: -4 to 140°F; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 70% RH Security Management Management Management		Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows OS compatible with Universal Print Driver (UPD) or Product-Specific drivers from HP.com: Windows Server 2003/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise)/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise)/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise)/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise)/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2008 R2): Citrix MetaFrame Presentation Server 3.0, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3); Citrix XonApp 5.0 (Plus Feature Pack 2 & 3); Citrix XenApp 5.0, Citrix XenApp 7.5, Citrix XenDesktop 7.0/7.5, Novell Gervers (Th Citrix)///www.novell.com//print): Windows 8 Server 2008/2008 R2): Citrix MetaFrame Presentation Server 3.0, Citrix XenApp 5.0, C				
code identifier); Power Consumption: 741.98 watts (Active Printing), 13.72 watts (Ready), 2.51 watts (Sleep), 0.08 watts (Auto-Off), 0.08 watts (Off); Typical Electricity Consumption: 1.886 kWHrs/Week @ 115V ² Acoustics Acoustic Power Emissions: 6.8 B(A); Acoustic Pressure Emissions: 54 dB(A) ⁶ Operating Environment Operating Stepse 59 to 90.5%; Recommended Operating Temperature: 63.5 to 77%; Storage Temperature Range: -4 to 140%; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 90% RH; Operating Humidity RH; Recommended Humidity Operating Range: 30 to 70% RH Security Management Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPSec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10	Minimum System Requirements	for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); CD-ROM or DVD drive, or Internet connection; Dedicated USB or network connection or Wireless connection; 200 MB available hard disk space; OS compatible hardware (For OS hardware requirements see http://www.microsoft.com); MAC: Mac OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; 1 GB available hard disk; OS compatible hardware (For OS hardware requirements see http://www.microsoft.com); MAC: Mac OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; 1 GB available hard disk; OS compatible hardware (For OS hardware requirements see http://www.microsoft.com); MAC: Mac OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; 1 GB available hard disk; OS compatible hardware (For OS hardware requirements see http://www.microsoft.com); MAC: Mac OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; 1 GB available hard disk; OS compatible hardware (For OS hard				
Operating Environment Operating Temperature Range: 59 to 90.5°F; Recommended Operating Temperature: 63.5 to 77°F; Storage Temperature Range: -4 to 140°F; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH Security Management Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS), IPSec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10	Power					
80% RH; Recommended Humidity Operating Range: 30 to 70% RH Security Management Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10	Acoustics	Acoustic Power Emissions: 6.8 B(A); Acoustic Pressure Emissions: 54 dB(A) ⁶				
	Operating Environment	80% RH; Recommended Humidity Operating Range: 30 to 70% RH				
	Security Management					

¹ AirPrint^{Ma} and iOS 4.2 or later devices require an 802.11 wireless network connection to the printer. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint and the AirPrint Logo are trademarks of Apple[®] Inc. Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at hp.com/go/mobileprinting. ² Power requirements are based on the contry/region where the printer is sold. Do not convert operating voltages. This will damage the printer and volt the product warranty. ³ Typical Electricity consumption (TEC) rating represents the typical electricity consumption gas per formance is dependent with 150/IEC 19752 and continuous printing. Atual yields vary considerably based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, ¹Wi-Fi disabled. ⁵ Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Atual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies. ⁶ Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: the model, simplex printing. A4 paper at 43 ppm ⁷ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser Jet or HP Color Laser Jet devices, and enables appropriate deployment of printers and device life over an extended warranty period. ⁹ HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, vist thp.com/go/SureSuppl. ¹⁰ Paper handling accessories are offered separately and with an additional cost. ¹¹ Not all "Compatible Operating S

Learn more at hp.com

© Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

